Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

MAMBA LOQUI

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp

Sample ID: 2608DEC1003.3050
Strain: MAMBA Ritual
Matrix: Other
Type: Other
Sample Size: 5 units; Batch: 5 units

Produced: 09/13/2026
Collected: 09/13/2026
Received: 09/13/2026
Completed: 09/21/2026

Client
The Mamaba Brand, LLC
12233 Montague St.
Pacoima, CA 91331



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	09/14/2026	Pass
Moisture	09/15/2026	18.3% - Complete
Water Activity	09/15/2026	0.78 aw - Pass
Residual Solvents	09/15/2026	Pass
Microbials	09/16/2026	Pass
Mycotoxins	09/16/2026	Pass
Pesticides	09/16/2026	Pass
Heavy Metals	09/15/2026	Pass
Foreign Matter	09/15/2026	Pass

Cannabinoids

Pass

ND	ND	ND
Total THC	Total CBD	Total (neutral) Cannabinoids

Analyte	LOD	LOQ	Results	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.1000	0.2000	ND	ND	ND	ND
Δ9-THC	0.1000	0.2000	ND	ND	ND	ND
Δ8-THC	0.1000	0.2000	ND	ND	ND	ND
THCV	0.1000	0.2000	ND	ND	ND	ND
CBDa	0.1000	0.2000	ND	ND	ND	ND
CBD	0.1000	0.2000	ND	ND	ND	ND
CBDV	0.1000	0.2000	ND	ND	ND	ND
CBN	0.1000	0.3000	ND	ND	ND	ND
CBGa	0.1000	0.2000	ND	ND	ND	ND
CBG	0.1000	0.2000	ND	ND	ND	ND
CBC	0.1000	0.2000	ND	ND	ND	ND
Total THC			**ND**	**ND**	**ND**	**ND**
Total CBD			**ND**	**ND**	**ND**	**ND**
Total (neutral) Cannabinoids			**ND**	**ND**	**ND**	**ND**

Date Tested: 08/04/2026
2 servings per container.
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDA x 0.877) + CBG + (CBGA x 0.877) + CBN + Δ9-THC + (THCA x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.

Levon Antonyan, PhD
Laboratory Director
09/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.

MAMBA ROQUI

METRC Sample: ; METRC Batch: ; | Botanical Product | Non-Tobacco | Non-Cannabis | Non-Hemp

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.015	0.065	0.3	ND	Pass	Fludioxonil	0.006	0.025	30	0.9050	Pass
Acephate	0.004	0.025	5	ND	Pass	Hexythiazox	0.008	0.025	2	ND	Pass
Acequinocyl	0.005	0.025	4	ND	Pass	Imazalil	0.004	0.025	0.1	ND	Pass
Acetamiprid	0.003	0.025	5	0.0513	Pass	Imidacloprid	0.004	0.025	3	0.1842	Pass
Aldicarb	0.007	0.025	0.1	ND	Pass	Kresoxim Methyl	0.005	0.025	1	<LOQ	Pass
Azoxystrobin	0.002	0.025	40	0.0678	Pass	Malathion	0.007	0.025	5	ND	Pass
Bifenazate	0.004	0.025	5	0.0339	Pass	Metalaxyl	0.005	0.025	15	<LOQ	Pass
Bifenthrin	0.005	0.025	0.5	<LOQ	Pass	Methiocarb	0.006	0.025	0.1	ND	Pass
Boscalid	0.007	0.025	10	0.2237	Pass	Methomyl	0.002	0.025	0.1	<LOQ	Pass
Captan	0.164	0.5	0.7	ND	Pass	Mevinphos	0.004	0.025	0.1	ND	Pass
Carbaryl	0.007	0.025	0.5	ND	Pass	Myclobutanil	0.005	0.025	9	ND	Pass
Carbofuran	0.002	0.025	0.1	<LOQ	Pass	Naled	0.005	0.025	0.5	ND	Pass
Chlorantraniliprole	0.007	0.025	40	ND	Pass	Oxamyl	0.004	0.025	0.2	ND	Pass
Chlordane	0.012	0.05	0.1	ND	Pass	Paclobutrazol	0.004	0.025	0.1	ND	Pass
Chlorfenapyr	0.022	0.1	0.1	ND	Pass	Parathion Methyl	0.009	0.05	0.1	ND	Pass
Chlorpyrifos	0.003	0.025	0.1	<LOQ	Pass	Pentachloronitrobenzene	0.019	0.1	0.2	ND	Pass
Clofentezine	0.005	0.025	0.5	ND	Pass	Permethrin	0.018	0.1	20	ND	Pass
Coumaphos	0.006	0.025	0.1	ND	Pass	Phosmet	0.003	0.025	0.2	ND	Pass
Cyhuthrin	0.01	0.05	1	ND	Pass	Piperonyl Butoxide	0.003	0.025	8	ND	Pass
Cypermethrin	0.007	0.025	1	ND	Pass	Prallethrin	0.006	0.025	0.4	ND	Pass
Daminozide	0.015	0.05	0.1	ND	Pass	Propiconazole	0.006	0.025	20	<LOQ	Pass
Diazinon	0.004	0.025	0.2	ND	Pass	Propoxur	0.004	0.025	0.1	ND	Pass
Dichlorvos	0.006	0.025	0.1	ND	Pass	Pyrethrins	0.01	0.042	1	ND	Pass
Dimethoate	0.003	0.025	0.1	ND	Pass	Pyridaben	0.004	0.025	3	ND	Pass
Dimethomorph	0.004	0.025	20	0.1734	Pass	Spinetoram	0.005	0.025	3	ND	Pass
Ethoprophos	0.003	0.025	0.1	ND	Pass	Spinosad	0.006	0.025	3	0.1170	Pass
Etofenprox	0.005	0.025	0.1	ND	Pass	Spiromesifen	0.005	0.025	12	ND	Pass
Etoxazole	0.003	0.025	1.5	ND	Pass	Spirotetramat	0.01	0.05	13	ND	Pass
Fenhexamid	0.008	0.025	10	0.1180	Pass	Spiroxamine	0.005	0.025	0.1	0.0458	Pass
Fenoxycarb	0.004	0.025	0.1	ND	Pass	Tebuconazole	0.006	0.025	2	0.0260	Pass
Fenpyroximate	0.006	0.025	2	ND	Pass	Thiacloprid	0.004	0.025	0.1	ND	Pass
Fipronil	0.006	0.025	0.1	<LOQ	Pass	Thiamethoxam	0.007	0.025	4.5	0.0446	Pass
Flonicamid	0.01	0.05	2	ND	Pass	Trihoxystrobin	0.004	0.025	30	ND	Pass

Date Tested: 08/06/2026
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-TM010 & SOP-TM009; Instrument: LCMSTQ & GCMSTQ. Chlordane, Chlorfenapyr, Methyl Parathion, Pentachlornitrobenzene (PCNB) are analyzed using GCMSTQ system.

Levon Antonyan, PhD
Laboratory Director
09/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Microbials

Pass

VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.

Analyte	Limit	Results	Status
Aspergillus havus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Not Detected in 1g	Pass
E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass

Date Tested: 08/06/2026
TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-TM006; Instrument: PCR

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.45	5		ND	Tested
B2	1.173	5		ND	Tested
G1	1.543	5		ND	Tested
G2	1.573	5		ND	Tested
Ochratoxin A	3.247	10	20	ND	Pass
Total Ahatoxins	5.739	20	20	ND	Pass

VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.

Date Tested: 08/06/2026
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-TM010; Instrument: LCMSTQ.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0040	0.010	1.5	0.1904	Pass
Cadmium	0.0036	0.010	0.5	0.0534	Pass
Lead	0.0032	0.010	0.5	0.2380	Pass
Mercury	0.0004	0.001	3	0.0157	Pass

VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.

Date Tested: 08/05/2026
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Heavy Metals Testing Method: SOP-TM008; Instrument: ICPMS

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.058	0.196	1	ND	Pass
Acetone	6.208	19.532	5000	<LOQ	Pass
Acetonitrile	11.685	39.062	410	ND	Pass
Benzene	0.080	0.390	1	ND	Pass
Butane	10.714	39.062	5000	ND	Pass
Chloroform	0.135	0.782	1	ND	Pass
Ethanol	16.135	78.126	5000	ND	Pass
Ethyl-Acetate	8.137	39.062	5000	ND	Pass
Ethyl-Ether	19.243	78.126	5000	ND	Pass
Ethylene Oxide	0.248	0.782	1	ND	Pass
Heptane	3.225	9.772	5000	ND	Pass
Isopropanol	25.720	78.126	5000	ND	Pass
Methanol	15.766	78.126	3000	<LOQ	Pass

VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.

Methylene-Chloride	0.128	0.390	1	ND	Pass
n-Hexane	2.985	9.766	290	ND	Pass
Pentane	9.621	39.062	5000	ND	Pass
Propane	9.917	39.062	5000	ND	Pass
Toluene	8.470	39.062	890	ND	Pass
Trichloroethene	0.060	0.196	1	ND	Pass
Xylenes	1.477	4.883	2170	ND	Pass

Date Tested: 08/05/2026
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-TM007; Instrument: GCMSHS

VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.